

Subject Index (2010)

Policy Forum

The management of hepatocellular carcinoma in Asia: A guideline combining quantitative and qualitative evaluation.

Song PP, Tang W, Tamura S, Hasegawa K, Sugawara Y, Dong JH, Kokudo N
2010; 4(6):283-287.

Reviews

Traditional Chinese medicine and related active compounds against hepatitis B virus infection.

Cui XY, Wang YL, Kokudo N, Fang DZ, Tang W
2010; 4(2):39-47.

Multi-drug resistant tuberculosis: An iatrogenic problem.

Kant S, Maurya AK, Kushwaha RAS, Nag VL, Prasad R
2010; 4(2):48-55.

Intimate partner violence in Sri Lanka.

Jayatileke AC, Poudel KC, Yasuoka J, Jayatileke AU, Jimba M
2010; 4(3):90-95.

Multidisciplinary Team and Team Oncology Medicine research and development in China.

Song PP, Wu Q, Huang Y
2010; 4(4):151-160.

Metabolic syndrome: What are the risks for humans?

Gupta A, Gupta V
2010; 4(5):204-212.

The role of hypoxia in mental development and in the treatment of mental disorders: A review.

Basovich SN
2010; 4(6):288-296.

Chinese herbal medicines as adjuvant treatment during chemo- or radio-therapy for cancer.

Qi FH, Li AY, Inagaki Y, Gao JJ, Li JJ, Kokudo N, Li XK, Tang W
2010; 4(6):297-307.

Brief Reports

The treatment effect of the burn wound healing by electrolytic-reduction ion water lotion.

Shu T, Okajima M, Shimokawa K, Ishii F
2010; 4(1):1-3.

Novel aminopeptidase N (APN/CD13) inhibitor 24F can suppress invasion of hepatocellular carcinoma cells as well as angiogenesis.

Inagaki Y, Tang W, Zhang L, Du GH, Xu WF, Kokudo N
2010; 4(2):56-60.

Longitudinal observation of influence of "taspo" on smoking behavior among high school students.

Miyajima S, Fukuda Y, Yoshimi I, Hayashi K
2010; 4(4):161-164.

Bioinformatic analyses and an expression study of a novel gene associated with metabolic syndrome.

Cui XY, Chen JX, Fang DZ

2010; 4(4):165-169.

The treatment effect of the burn wound healing by electrolytic-reduction ion water lotion combination therapy. Part 2: Two degree burn of forearm to the dorsum of the hand.

Shu T, Okajima M, Wada Y, Shimokawa K, Ishii F

2010; 4(5):213-217.

Preparation of asialo-agalacto-glycophorin A for screening of anti-Tn antibodies.

Koizumi T, Matsumoto-Takasaki A, Nakada H, Nakata M, Fujita-Yamaguchi Y

2010; 4(6):308-311.

Identification of mouse mutant cells exhibiting plastic mutant phenotype II; Ionizing radiation-induced mutant phenotype plasticity is not dependent on DNA methylation of the *hypoxanthine phosphoribosyl transferase* gene in mouse FM3A cells.

Yamauchi M, Fukutsu K, Sakagami M, Miyazaki T, Yamada Y

2010; 4(6):312-317.

Original Articles

A study of the relationship between mental health and menstrual abnormalities in female middle school students from postearthquake Wenchuan.

Liu XX, Yang YF, Yuan P, Zhang X, Han Y, Cao Y, Xiong GY

2010; 4(1):4-8.

Rapid increase in Japanese life expectancy after World War II.

Sugiura Y, Ju YS, Yasuoka J, Jimba M

2010; 4(1):9-16.

Bioavailability and biological activity of liquisolid compact formula of repaglinide and its effect on glucose tolerance in rabbits.

El-Houssieny BM, Wahman LF, Arafa NMS

2010; 4(1):17-24.

Evaluation of estrogen receptor *alpha*, estrogen receptor *beta*, progesterone receptor, and cKIT expression in desmoids tumors and their role in determining treatment options.

Santos GAC, Cunha IW, Rocha RM, Mello CAL, Guimarães GC, Fregnani JH, Lopes A

2010; 4(1):25-30.

The healing effect of electrolytic-reduction ion water on burn wounds.

Okajima M, Shimokawa K, Ishii F

2010; 4(1):31-36.

Factors related to well-being among the elderly in urban China focusing on multiple roles.

Chen JX, Murayama S, Kamibeppu K

2010; 4(2):61-71.

A novel model for prognosis of Meniere's disease using oxidative stress susceptibility of lymphoblastoid cell lines.

Hayashi K, Kobayashi R, Kitamura K, Goto F, Ogawa K, Matsumoto T

2010; 4(2):72-78.

Study of the hepatotoxicity induced by *Dioscorea bulbifera* L. rhizome in mice.

Wang JM, Ji LL, Liu H, Wang ZT
2010; 4(2):79-85.

The expression of human high molecular weight melanoma-associated antigen in acral lentiginous melanoma.

Nishi H, Inoue Y, Kageshita T, Takata M, Ihn H
2010; 4(2):86-89.

One-year follow-up study of post-traumatic stress disorder among adolescents following the Wen-Chuan earthquake in China.

Liu ZY, Yang YF, Ye YL, Zeng ZQ, Xiang YJ, Yuan P
2010; 4(3):96-102.

DNA content can improve the detection and prognosis of carcinoma of the cervix.

Chhavi, Saxena M, Negi MP, Singh S, Singh PK, Singh U, Bhatt MLB
2010; 4(3):103-109.

Isolation of mesenchymal stem cells from bone marrow wastes of spinal fusion procedure (TLIF) for low back pain patients and preparation of bone dusts for transplantable autologous bone graft with a serum glue.

Ichianagi T, Anabuki K, Nishijima Y, Ono H
2010; 4(3):110-118.

Bone marrow-derived stromal cells can express neuronal markers by DHA/GPR40 signaling.

Kaplamadzhev DB, Hisha H, Adachi Y, Ikehara S, Tonchev AB, Boneva NB, Pyko IV, Kikuchi M, Nakaya M, Wakayama T, Iseki S, Yamashita T
2010; 4(3):119-129.

Epithelial or mesenchymal: Where to draw the line?

Chai JY, Modak C, Mouazzen W, Narvaez R, Pham J
2010; 4(3):130-142.

Translation and cross-cultural adaptation of the Pregnancy Physical Activity Questionnaire (PPAQ) to Japanese.

Matsuzaki M, Haruna M, Ota E, Yeo S, Murayama R, Murashima S
2010; 4(4):170-177.

Reliability and validity of a Nepalese version of the Kiddo-KINDL in adolescents.

Yamaguchi N, Poudel KC, Poudel-Tandukar K, Shakya D, Ravens-Sieberer U, Jimba M
2010; 4(4):178-185.

Pattern and determinants of breast feeding and contraceptive practices among mothers within six months postpartum.

Kunwar S, Faridi MMA, Singh S, Zahra F, Alizaidi Z
2010; 4(4):186-189.

Anti-aggressive activity of a standardized extract of *Marsilea minuta* Linn. in rodent models of aggression.

Tiwari OP, Bhattamisra SK, Tripathi PK, Singh PN
2010; 4(4):190-194.

Identification of mouse mutant cells exhibiting the plastic mutant phenotype.

Yamauchi M, Fukutsu K, Sakagami M, Yamada Y
2010; 4(4):195-200.

Health resource allocation and productive efficiency of Chinese county hospitals: Data from 1993 to 2005.

Gai RY, Zhou CC, Xu LZ, Zhu M, Wang XZ, Li SX, Zheng WG, Song PP, Yang XL, Fang LY, Zhen YC, Tang W
2010; 4(5):218-224.

Association between the serum folate levels and tea consumption during pregnancy.

Shiraishi M, Haruna M, Matsuzaki M, Ota E, Murayama R, Murashima S
2010; 4(5):225-230.

Nurse risk managers' criteria for dealing with near-miss events.

Kodama S, Kanda K
2010; 4(5):231-238.

Classification of hard core and petty criminals using anthropometric measurements.

Agrawal GG, Asthana A, Maurya A
2010; 4(5):239-243.

Unconjugated bilirubin modulates nitric oxide production via iNOS regulation.

Mazzone GL, Rigato I, Tiribelli C
2010; 4(5):244-248.

Genetic diversity of the *Helicobacter pylori* sialic acid-binding adhesin (*sabA*) gene.

Shao L, Takeda H, Fukui T, Mabe K, Han J, Kawata S, Ootani K, Fukao A
2010; 4(5):249-253.

Inhibition of C35 gene expression by small interfering RNA induces apoptosis of breast cancer cells.

Liu QQ, Yin K, Zhu S, Zhang L, Wen PE, Li CL, Zhang DB, Liu M, Yan G
2010; 4(5):254-259.

M₃ muscarinic receptors mediate acetylcholine-induced pulmonary vasodilation in pulmonary hypertension.

Orii R, Sugawara Y, Sawamura S, Yamada Y
2010; 4(5):260-266.

Clinical benefits of two different dosing schedules of recombinant human erythropoietin in anemic patients with advanced head and neck cancer.

Gupta S, Singh PK, Bhatt MLB, Pant MC, Sundar S, Verma J, Paul S, Kumar D, Shah A, Gupta R, Negi MPS
2010; 4(5):267-272.

Efficacy of granulocyte colony stimulating factor as a secondary prophylaxis along with full-dose chemotherapy following a prior cycle of febrile neutropenia.

Gupta S, Singh PK, Bhatt MLB, Pant MC, Gupta R, Negi MPS
2010; 4(5):273-278.

Availability and use of emergency obstetric care services in public hospitals in Laos PDR: A systems analysis.

Douangphachanh X, Ali M, Outavong P, Alongkon P, Sing M, Chushi K
2010; 4(6):318-324.

Association between circulating leptin and insulin resistance, the lipid profile, and metabolic risk factors in North Indian adult women.

Gupta A, Gupta V, Agrawal S, Natu SM, Agrawal CG, Negi MPS, Tiwari S
2010; 4(6):325-332.

Frequencies of *VKORC1* -1639 G>A, *CYP2C9*2* and *CYP2C9*3* genetic variants in the Northern Indian population.

Rathore SS, Agarwal SK, Pande S, Mittal T, Mittal B
2010; 4(6):333-337.

Loss-of-heterozygosity analysis of 6-thioguanine-resistant mutants induced by radon exposure in mouse FM3A cells.

Yamauchi M, Fukutsu K, Sakagami M, Yamada Y
2010; 4(6):338-343.

No relation between folate and homocysteine levels and depression in early pregnant women.

Watanabe H, Suganuma N, Hayashi A, Hirowatari Y, Hirowatari T, Ohsawa M
2010; 4(6):344-350.

Second trimester pregnancy termination with 400 µg vaginal misoprostol: Efficacy and safety.

Kunwar S, Saha PK, Goel P, Huria A, Tandon R, Sehgal A
2010; 4(6):351-354.

Case Reports

Carcinoid crisis 24 hours after bland embolization: A case report.

Fujie S, Zhou W, Fann P, Yen Y
2010; 4(3):143-144.

Cerebral sparganosis: A case report.

Ou Q, Li SJ, Cheng XJ
2010; 4(3):145-147.

Anisocoria in liver recipients during the perioperative period: Two case reports.

Orii R, Sugawara Y, Makuuchi M, Kokudo N, Yamada Y
2010; 4(3):148-150.

Case report: Huge amoebic liver abscesses in both lobes.

Ding J, Zhou L, Feng M, Yang B, Hu XQ, Wang H, Cheng XJ
2010; 4(4):201-203.

Sarcomatous change of hepatocellular carcinoma in a patient undergoing living donor liver transplantation.

Kaneko J, Sugawara Y, Togashi J, Tamura S, Motoi R, Fukayama M, Kokudo N
2010; 4(5):279-282.

Ruptured hepatic subcapsular hematoma following laparoscopic cholecystectomy: Report of a case.

Shibuya K, Midorikawa Y, Mushiake H, Watanabe M, Yamakawa T, Sugiyama Y
2010; 4(6):355-358.

Letter

Compliance with the triage protocols.

Tourtier JP, Mangouka L, de Rudnicki S, Lemoullac D
2010; 4(1):37-38.